



JITEX a.s.
U vodarny 1506
CZ-39715 Pisek

Burgdorf, 30.09.2008

Test order No. 2008-1589

Determination of the antimicrobial activity

Date of order:

25.09.2008

Responsible:

Pages:

2

Enclosures:

Abstract: SAN HPLC 400/02

Method(s):

SAN HPLC 400/02

Determination of the anti dust mite effect:

SANITIZED AG

Erich Rohrbach
Head Microbiology

The findings are valid for the tested object(s) only. Filing record of report and documentation is 10 years.

SANITIZED AG

Lyssachstrasse 95
P.O. Box 1449
3401 Burgdorf
Switzerland

T: +41 (0)34 427 16 16
F: +41 (0)34 427 16 19
info@sanitized.com
www.sanitized.com

Results

Description of sample

Sample number: **2008-1589-01** Received: 25.09.2008
Business: TEXTILE Type: Quality control

Identification: Sample 1
Main Component: PP 100%
Appearance: Green
Field of Application: Fabric for sportswear

Sanitized Products: Sanitized® AM 23-24
Declared quantity: 3.5%
Finishing Process(es): Padding

Finishing Parameter(s): Drying: 130°C - 90"

Test results of the SANITIZED-laboratory

Determination of the anti dust mite effect:				
Method	Test point	Evaluation		
SAN HPLC 400/02	Indication of the anti dust mite test	Fulfilled		